




600X
1200MM


GLOSSY SERIES

About Us

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged..





Im-
press
ions

that holds
the age-old
stories.



glossy Finish

Experience the remarkable beauty of nature through the ethereal design of tiles from the Rare collection. Feel the essence of art in every touch with the exceptional glossy tiles

600x
1200mm





FANSTA ONYX BEIGE




**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







FANSTA ONYX



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05








FANTASTIC ONYX OLIVE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-06







FANTASTIC ONYX SKY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-06





FINO BIANCO




**600X
1200MM**

GLOSSY SURFACE
RANDOM-03








FINO NATURAL

**600X
1200MM**

GLOSSY SURFACE
RANDOM-03





FLORETINA



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







FOREST GREEN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03





FOREVER AVORIO

**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







FOREVER WHITE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05






FOSSIL GRAY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





FRISSON BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







FRISSON BROWN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05








FRISSON GREY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







FRISSON WHITE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







GLACIAR ONYX

**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







GLORIOUS FANSTA




**600X
1200MM**

GLOSSY SURFACE
RANDOM-04








HUDSON BLUE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







HUDSON NATUARL

600X
1200MM

GLOSSY SURFACE
RANDOM-04





ICE BERG BLUE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







IMPERIAL ARMANI PEARL



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04






IMPERIAL ARMANI ALMOND

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





IMPERIAL ARMANI BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





IMPERIAL ARMANI BROWN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





IMPERIAL ARMANI BIANCO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







IMPERIAL ARMANI GREY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





IMPERIAL ONYX



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







IRIS BIANCO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







JASTO NATURAL



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







JASTO SILVER

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







JORANI BROWN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







JORD IVORY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-03








JORD BEIGE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-03





KIEFFER WHITE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





KODA GREY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-02







LEXO ONYX BEIGE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







LEXO ONYX GREY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03






LUX ONYX

**600X
1200MM**

GLOSSY SURFACE
RANDOM-03





LYCOS IVORY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







LYCOS BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





LYCOS SMOKE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







LYCOS GREY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





MARS ONYX



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







MAXICO BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





MICHEL ANGELO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04






MISTRY BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







MISTRY NATURAL



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03





MISTRY NERO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







MISTRY SILVER



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03






MIYELA BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03





MOCCA ONYX WHITE




**600X
1200MM**

GLOSSY SURFACE
RANDOM-05








MOROCCO BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05






MOROCCO DUST



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





MOROCCO GREY




**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







MOULDY ONYX



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





MYSTIC TRAVENTINE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







NAPTUAN ASH



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







NAPTUAN SMOCK



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





NAPTUAN BEIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





NAPTUAN CREMA



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





NEXA BIANCO

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





NEXA GRAY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04






NIVIA BIANCO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





NIVIA ROZY



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





NOBU NATURAL

**600X
1200MM**

GLOSSY SURFACE
RANDOM-03







NOBU PRESTIGE



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03






NORDIC PEARL



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







NORDIC BROWN



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





NORY IVORY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-05







OMANI BIANCO

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04







OMANI GREY

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





OMANI CREMA

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





OMANI BROWN

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





OMANO ONYX



**600X
1200MM**

GLOSSY SURFACE
RANDOM-03








ORACLE ONYX

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04






ORIENT BIANCO



**600X
1200MM**

GLOSSY SURFACE
RANDOM-04





ORIENT PEARL



**600X
1200MM**

GLOSSY SURFACE
RANDOM-05





OSLO BEIGE

**600X
1200MM**

GLOSSY SURFACE
RANDOM-04



CISCILIA



TECHNICAL SPECIFICATIONS

| CHARACTERISTICS | STANDARD AS PER ISO-13006/EN 14411 GROUP BIA | MEAN VALUE OF POLISHED GVT | MEAN VALUE OF RUSTIC GVT | TEST METHOD | |
|--|--|----------------------------|--------------------------|---------------|---------------|
| REGULATORY PROPERTIES | | | | | |
| Deviation in length & width | ± 0.5% | ± 0.1% | ± 0.1% | ISO-10545-2 | |
| Deviation in thickness | ± 5.0% | ± 4.0% | ± 4.0% | ISO-10545-2 | |
| Straightness of sides | ± 0.5% | ± 0.1% | ± 0.1% | ISO-10545-2 | |
| Rectangularity | ± 0.5% | ± 0.1% | ± 0.1% | ISO-10545-2 | |
| Surface flatness | ± 0.5% | ± 0.2% | ± 0.2% | ISO-10545-2 | |
| Colour difference | Unaltered | No Change | No Change | ISO-10545-16 | |
| Glossiness | As per mfg. | Min. 90% | Min. 4% | GLOSSOMETER | |
| STRUCTURAL MECHANICAL PROPERTIES | | | | | |
| Water Absorption | < 0.50% | < 0.05 % | < 0.05 % | ISO-10545-3 | |
| Apparent density | > 2.0 g/cc | > 2.10 g/cc | > 2.10 g/cc | DIN 51082 | |
| MASSIVE MECHANICAL PROPERTIES | | | | | |
| Modulus rupture | Min 35 N/mm ² | Min 40 N/mm ² | Min 40 N/mm ² | ISO-10545-3 | |
| Breaking Strenght | Min.1300 N | min.2000 N | Min.2000 N | ISO-10545-4 | |
| Impact resistance | As per mfg. | Min. 0.55 | Min. 0.55 | ISO-10545-5 | |
| SURFACE MECHANICAL PROPERTIES | | | | | |
| Surface abrasion resistance | As per mfg. | Min Class 3 | Min Class 4 | ISO-10545-7 | |
| MOH's hardness | As per mfg. | Min 4 | Min 5 | EN 101 | |
| THERMOHYDROMETRIC PROPERTIES | | | | | |
| Frost resistance | No Damage | No Damage | No Damage | ISO-10545-12 | |
| Thermal shock resistance | No Damage | No Damage | No Damage | ISO-10545-9 | |
| Moisture expansion | Nil | Nil | Nil | ISO-10545-10 | |
| Thermal expansion (CEO) | Max.9.0x10 ⁻⁶ | Max.6.5x10 ⁻⁶ | Max.6.5x10 ⁻⁶ | ISO-10545-8 | |
| Crazing resistance | As per mfg. | Min 10 Cycle | Min 10 Cycle | ISO-10545-11 | |
| CHEMICAL PROPERTIES | | | | | |
| Chemical resistance | No Damage | No Damage | No Damage | ISO-10545-13 | |
| Satin resistance | Resistance | Resistance | Resistance | ISO-10545-14 | |
| SAFETY PROPERTIES | | | | | |
| Slip resistance | As per mfg. | > 0.40 | > 0.40 | ISO-10545-17 | |
| Fire resistance | As per mfg. | Fire Proof | Fire Proof | N.A. | |
| Lead & Cadmium given off by glazed tiles | As per mfg. | Doesn't yield PB & CD | Doesn't yield PB & CD | ISO-10545-15 | |
| PACKING DETAILS | | | | | |
| SR. NO. | PRODUCT | NOMINAL SIZE | THICNESS | TILES PER BOX | COVERAGE AREA |
| 1 | Vitrified Tiles | 600X1200mm | 8.2mm - 8.5 mm | 2 | 1.44 Sq. Mtr. |

— Thank You —